















# CLASSIC LINE

## KOBRA C1 - Personal and desktside shredder

Throat: 230 mm • Dimensions: 34 x 20 x 50 cm  
Power: 170 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra C1</b>	99.320	3,5 x 40	8-9	7-8	18	<b>P-4</b> T-4 E-3 F-1	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

## KOBRA +1 - Personal and desktside shredders

Throat: 230 mm • Dimensions: 39 x 30 x 59 cm  
Power: 250 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra+1 SS7</b>	99.104	7,5	25-27	22-24	38,5	<b>P-1</b> O-1 T-2 E-2	
<b>Kobra+1 SS6</b>	99.102	5,8	23-25	20-22	38,5	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra+1 SS4</b>	99.103	3,8	17-19	15-17	38,5	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra+1 CC4</b>	99.105	3,5 x 40	12-14	10-12	38,5	<b>P-4</b> T-4 E-3 F-1	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

## KOBRA +2 and KOBRA +3 - Office shredders with double set of cutting knives

Throat: 230 mm • Dimensions: 39 x 30 x 59 cm  
Power: 250 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra+2 SS7</b>	99.111	7,5	25-27	22-24	38,5+1,5	<b>P-1</b> O-1 T-2 E-2	
<b>Kobra+2 SS4</b>	99.108	3,8	17-19	15-17	38,5+1,5	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra+2 CC2</b>	99.112	1,9 x 13	7-8	5-7	38,5+1,5	<b>P-5</b> T-5 E-4 F-2	
Model	Article Code	Shred Size (mm)	Sheet Capacity*		Bin (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra+3 CC4</b>	99.110	3,5 x 40	12-14	10-12	38,5+1,5	<b>P-4</b> T-4 E-3 F-1	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives.

\*\* **CD/DVD Cutting Unit:** standard separate cutting unit. Security Level O-1 T-2 E-2.





# CLASSIC LINE



## KOBRA 260.1 Medium office professional shredders

Throat: 260 mm • Dimensions: 40 x 36 x 104 cm  
Power: 500 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 260.1 S5</b>	99.917	5,8	29-31	25-27	80	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 260.1 S4</b>	99.916	3,8	26-28	22-24	80	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 260.1 S2</b>	99.915	1,9	14-16	12-14	80	<b>P-3</b> T-3 E-2	
<b>Kobra 260.1 C4</b>	99.919	3,5 x 30	15-17	13-15	80	<b>P-4</b> O-3 T-4 E-3 F-1	
<b>Kobra 260.1 C2</b>	99.918	1,9 x 15	10-12	9-11	80	<b>P-5</b> T-5 E-4 F-2	
<b>Kobra 260.1 HS</b>	99.920	0,8 x 9,5	6-8	5-6	80	<b>P-6</b> T-6 F-3	
<b>Kobra 260.1 HS-6</b>	99.921	0,8 x 5	4-5	3-4	80	<b>P-7</b> F-3	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

## KOBRA 260 Medium office professional shredders

Throat: 260 mm • Dimensions: 43 x 31 x 83 cm  
Power: 460 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 260 S5</b>	99.516	5,8	29-31	25-27	85	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 260 S4</b>	99.511	3,8	26-28	22-24	85	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 260 S2</b>	99.501	1,9	14-16	12-14	85	<b>P-3</b> T-3 E-2	
<b>Kobra 260 C4</b>	99.531	3,5 x 30	15-17	13-15	85	<b>P-4</b> T-4 E-3 F-1	
<b>Kobra 260 C2</b>	99.521	1,9 x 15	10-12	9-11	85	<b>P-5</b> T-5 E-4 F-2	
<b>Kobra 260 HS</b>	99.541	0,8 x 9,5	6-8	5-6	85	<b>P-6</b> T-6 F-3	
<b>Kobra 260 HS-6</b>	99.546	0,8 x 5	4-5	3-4	85	<b>P-7</b> F-3	
Option	Code	Description					Available for
<b>ACCU-FLOW External Auto-Oiler</b>	99.017	Automatically lubricates cutting knives. 1 liter of Kobra oil included.					Cross-cut models

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives



## KOBRA 300.1 Medium-size office professional shredders

Throat: 310 mm • Dimensions: 53 x 43 x 92 cm  
Power: 600 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 300.1 S5</b>	99.923	5,8	30-32	24-26	110	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 300.1 S4</b>	99.922	3,8	27-29	22-24	110	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 300.1 C4</b>	99.925	3,9 x 40	20-22	18-20	110	<b>P-4</b> O-3 T-4 E-3 F-1	
<b>Kobra 300.1 C2</b>	99.924	1,9 x 15	13-15	12-13	110	<b>P-5</b> T-5 E-4 F-2	
<b>Kobra 300.1 HS</b>	99.926	0,8 x 9,5	8-10	7-8	110	<b>P-6</b> T-6 F-3	
<b>Kobra 300.1 HS-6</b>	99.927	0,8 x 5	4-5	3-4	110	<b>P-7</b> F-3	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

## KOBRA 300.2 Medium-size office professional shredders

Throat: 310 mm • Dimensions: 53 x 43 x 111 cm  
Power: 900 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 300.2 S5</b>	99.929	5,8	37-40	33-35	150	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 300.2 S4</b>	99.928	3,8	31-33	27-29	150	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 300.2 C4</b>	99.931	3,9 x 40	25-27	23-25	150	<b>P-4</b> O-3 T-4 E-3 F-1	
<b>Kobra 300.2 C2</b>	99.930	1,9 x 15	16-18	14-15	150	<b>P-5</b> O-4 T-5 E-4 F-2	
<b>Kobra 300.2 HS</b>	99.932	0,8 x 9,5	9-11	8-9	150	<b>P-6</b> T-6 F-3	
<b>Kobra 300.2 HS-6</b>	99.933	0,8 x 5	5-6	5	150	<b>P-7</b> F-3	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

# CLASSIC LINE



## KOBRA 300 Medium-size office professional shredders

Throat: 300 mm • Dimensions: 43 x 31 x 83 cm  
Power: 920 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 300 SS5</b>	99.652	5,8	42-46	37-39	85	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 300 SS4</b>	99.650	3,8	32-34	28-30	85	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 300 CC4</b>	99.656	3,5 x 30	22-24	20-22	85	<b>P-4</b> O-3 T-4 E-3 F-1	
<b>Kobra 300 CC2</b>	99.654	1,9 x 15	16-18	14-15	85	<b>P-5</b> T-5 E-4 F-2	
<b>Kobra 300 HS</b>	99.658	0,8 x 9,5	10-12	9-11	85	<b>P-6</b> T-6 F-3	
<b>Kobra 300 HS-6</b>	99.660	0,8 x 5	5-6	5	85	<b>P-7</b> F-3	
<b>Option</b>	Code	Description				Available for	
<b>ACCU-FLOW External Auto-Oiler</b>	99.017	Automatically lubricates cutting knives. 1 liter of Kobra oil included.				Cross-cut models.	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives



## KOBRA 390 and KOBRA 400 Multiple-user heavy duty professional shredders

Throat: 400 mm • Dimensions: 60 x 48 x 93 cm  
Power: 1500 W (Kobra 390), 2100 W (Kobra 400)  
24 Hour Continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 390 S5</b>	99.641	5,8	45-47	43-45	200	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 390 C4</b>	99.631	3,9 x 40	31-33	29-30	200	<b>P-4</b> O-3 T-4 E-3 F-1	
Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 400 S5</b>	99.601	5,8	60-62	52-54	200	<b>P-2</b> O-2 T-2 E-2	
<b>Kobra 400 C4</b>	99.591	3,9 x 40	44-48	40-42	200	<b>P-4</b> O-3 T-4 E-3 F-1	
<b>Kobra 400 C2</b>	99.596	1,9 x 15	29-31	25-27	200	<b>P-5</b> O-4 T-5 E-4 F-2	
<b>Option</b>	Code	Description				Available for	
<b>Document Shelf</b>	99.003	Top shelf to save office space.				All models.	
<b>Automatic Oiler</b>	Art. Code + AO	Automatically lubricates cutting knives. 1 liter of Kobra oil included.				Cross-cut models.	
<b>Metal Detection System</b>	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.				All models.	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives.



## KOBRA 400 WB Centralized shredder for office paper waste baskets

Throat: 400 mm + hopper • Dimensions: 60 x 48 x 163 cm  
Power: 2100 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 400 WB</b>	99.620	3,9 x 40	44-48	40-42	200	<b>P-4</b> O-3 T-4 E-3 F-1	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

## KOBRA 260 HS/2 Emergency power black-out high security shredder

Throat: 260 mm • Dimensions: 50 x 38 x 85 cm  
Power: 700 W • 24 Hour continuous duty motor



Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 260 HS/2</b>	99.113	0,8 x 9,5	11-13	10-11	85	<b>P-6</b> T-6 F-3	
<b>Kobra 260 HS/2-6</b>	99.116	0,8 x 5	5-6	5	85	<b>P-7</b> F-3	
Option	Code	Description				Available for	
<b>Document Shelf</b>	99.001	Top shelf to save office space.				All models.	
<b>ACCU-FLOW External Automatic Oiler</b>	99.017	Automatically lubricates cutting knives. 1 liter of Kobra oil included.				All models.	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

# CLASSIC LINE



## KOBRA 400 HS Auto-Oiler High security P-6 P-7 shredder with automatic oiler

Throat: 400 mm • Dimensions: 60 x 48 x 93 cm  
Power: 2100 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 400 HS Auto-Oiler</b>	99.587	0,8 x 9,5	17-19	13-15	200	<b>P-6</b> O-5 T-6 E-5 F-3	
<b>Kobra 400 HS-6 Auto-Oiler</b>	99.589	0,8 x 5	8-10	8-9	200	<b>P-7</b> F-3	
<b>Option</b>	Code	Description				Available for	
<b>Document Shelf</b>	99.003	Top shelf to save office space.				All models.	
<b>Metal Detection System</b>	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.				All models.	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives



## KOBRA 400 HS Optical Media High security optical media and document shredders

Throat: 130 mm (CD/DVD) + 240 mm (paper) •  
Dimensions: 60 x 48 x 93 cm • Power: 2100 W  
24 Hour continuous duty motor

Model	Article Code	Paper Shred Size (mm)	CD/DVD Shred Size (mm)	Sheet Capacity*		CD/DVD Capacity per hour	Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
				A4 70gr	A4 80gr				
<b>Kobra 400 HS OM</b>	99.585	-	1,5 x 2	-	-	2.100	80	O-6 T-6 E-5	
<b>Kobra 400 HS COMBI</b>	99.602	0,8 x 9,5	1,5 x 2	17-19	13-15	2.100	100+80	<b>P-6</b> O-6 T-6 E-5 F-3	
<b>Kobra 400 HS-6 COMBI</b>	99.603	0,8 x 5	1,5 x 2	8-10	8-9	2.100	100+80	<b>P-7</b> O-6 T-6 E-5 F-3	
<b>Kobra HS-8 MULTI</b>	99.604	0,8 x 5	0,8 x 1-1,5	8-10	8-9	1.500	90+65	<b>P-7, exceeds O-6,</b> T-7 E-5	
<b>Option</b>	Code	Description						Available for	
<b>Metal Detection System</b>	Art. Code + MD	Detects metal presence to prevent damages to cutting knives.						400 HS/HS-6 COMBI models.	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

# INDUSTRIAL LINE

## KOBRA CYCLONE - Multi-purpose heavy duty industrial shredder

Throat: 325x220 mm • Dimensions: 80 x 212 x 210 cm  
Power: 6000 W • 24 Hour continuous duty motor



Model	Article code	Sheet capacity A4 70 gr	Credit cards capacity per hour	CD/DVD capacity per hour	Floppy disks capacity per hour	Security level availables (Cyclone screens)
<b>Kobra CYCLONE</b>	99.100	500	45.000	15.000	7.000	002, 003, 004, 005, 006
Option	Article Code	Security Level ISO/IEC 2196 (DIN 66399) Description			Available for	Shreddable Material
<b>Screen Security Level 002</b>	51.205	Similar to security level <b>P-2</b> O-2 T-2 E-2			Kobra Cyclone	
<b>Screen Security Level 003</b>	51.204	Similar to security level <b>P-2/P-3</b> O-2 T-2 E-2			Kobra Cyclone	
<b>Screen Security Level 004</b>	51.203	Similar to security level <b>P-4</b> O-2 T-3 E-2			Kobra Cyclone	
<b>Screen Security Level 005</b>	51.202	Similar to security level <b>P-5/P-6</b> O-3 T-4 E-3 F-1*			Kobra Cyclone	
<b>Screen Security Level 006</b>	51.201	Similar to security level <b>P-7</b> O-5 T-5 E-4 F-3*			Kobra Cyclone	
<b>Kobra COMPACTOR C-500</b>	99.101	This accessory compresses and reduces the volume of shredded paper by 4 to 5 times to minimize the space required for the waste.			Kobra Cyclone	

\* Microfiche only



## KOBRA 430 TS - Industrial Touch Screen Shredder with conveyor belt

Throat: 430 mm • Dimensions: 81 x 161 x 170 cm  
Power: 4000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size (mm)	Sheet Capacity*		Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
			A4 70 gr	A4 80 gr			
<b>Kobra 430 TS C4</b>	99.901	5,8 x 50	125-130	100-105	470	<b>P-3</b> O-2 T-3 E-2 F-1	
<b>Kobra 430 TS C2</b>	99.943	1,9 x 15	60-65	50-55	470	<b>P-5</b> O-4 T-5 E-4 F-2	

\* Capacity may vary on power supply, paper quality and lubrication of cutting knives

# ELECTRONIC DATA STORAGE DEVICE SHREDDERS



## KOBRA SSD Solid State Drive high security disintegrator

Throat: 240x25 mm • Dimensions: 103 x 82 x 121 cm  
Power: 5000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size	Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
<b>Kobra SSD</b>	99.938	Sand-like texture particles	35	Similar to O-7 T-7 E-7	Solid State Drive devices
Option	Code	Description	Indicated for		
<b>Log Management System (for Kobra SSD)</b>	LMS	Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).	Kobra SSD		



## KOBRA HDD Hard Disk Drive shredder

Throat: 127x30 mm • Dimensions: 120 x 84 x 123 cm  
Power: 3000 W • 24 Hour continuous duty motor

Model	Article Code	Shred Size	Cabinet (liters)	Security Level ISO/IEC 21964 (DIN 66399)	Shreddable Material
<b>Kobra HDD</b>	99.945	40 mm x random	40	T-1 E-2 H-3	Hard Disk Drives
<b>Kobra DEGAUSSER</b>	97.111	Super fast erasing time: 0,1 second (up to 280 HDD per hour). Completely erases digital data on all magnetic media. Data cannot be recovered.			Erasure capacity: 1 x 3.5" HDD or 8 x 2.5" HDD
Option	Code	Description	Indicated for		
<b>Log Management System (for Kobra HDD)</b>	LMS	Log Management System allows to scan and automatically store into a computer the barcode serial number of the device being shredded keeping track of day and hour (barcode reader included).	Kobra HDD		
<b>Log Management System (for Kobra DEGAUSSER)</b>	LMS-D	Log Management System with one click activates the Kobra Degausser, reads and stores in a database the barcode of the hard disks that are deleted (barcode reader included).	Kobra DEGAUSSER		



# ECOLOGICAL & RECYCLING SYSTEMS



## KOBRA FLEXPACK Eco-friendly cardboard recycling machines

Throat: 427 mm • Power: 600 W (Flexpack Desktop),  
Potenza 2100 W (Flexpack) • 24 Hour continuous duty motor

Model	Article code	Entry height	Grid dimension	Dimensions
<b>Kobra FLEXPACK Desktop</b>	99.949	up to 11 mm	6 x 60 mm	60 x 37 x 33 cm
<b>Kobra FLEXPACK</b>	99.947	up to 20 mm	5 x 100 mm	70 x 51 x 117 cm
Option	Code	Description	Available for	
<b>Kobra DCS-500</b>	99.948	Complete dust collection system, including vacuum motor, to provide dust free padding mats for clean packagings.	Kobra Flexpack	
<b>Kobra Vacuum kit</b>	51.729	Inner vacuum kit (vacuum motor excluded).	Kobra Flexpack	



## KOBRA WASTE Waste Sorting Modular System

Bin capacity: 60 liters

Model	Article Code	Lid color / Hole type	Type of waste	Dimensions
<b>Kobra WASTE Gray</b>	WA-99.005	Gray / Round	Unsorted waste	34 x 34,5 x 70,5 cm
<b>Kobra WASTE Yellow</b>	WA-99.006	Yellow / Round	Plastic	34 x 34,5 x 70,5 cm
<b>Kobra WASTE Blue</b>	WA-99.007	Blue / Oval	Paper	34 x 34,5 x 70,5 cm
<b>Kobra WASTE Green</b>	WA-99.008	Green / Two round	Glass	34 x 34,5 x 70,5 cm
<b>Kobra WASTE Red</b>	WA-99.019	Red / Two round	Metal	34 x 34,5 x 70,5 cm
<b>Kobra WASTE Brown</b>	WA-99.022	Brown / Round, closed	Food waste (organic)	34 x 34,5 x 70,5 cm
Option	Code	Description	Available for	
<b>Waste bags</b>	WA-99.100.	Available: waste bags made with recycled materials 100% recyclable (box of 100 bags).	Kobra WASTE	

# KOBRA CONSUMABLES



Code	Description	Indicated for
51.091	<b>KOBRA Oil.</b> Lubricates cross-cut knives. Box of 24 bottles of 125 cc each.	Cross-cut models
51.086	<b>KOBRA Oil for Automatic Oiler.</b> Lubricate cross-cut knives. Box of 24 bottles of 1 liter each.	Cross-cut models with Automatic Oiler
99.207	<b>Plastic bags.</b> Box of 100 pieces.	KOBRA 245 TS, KOBRA 260 TS KOBRA AF+1, KOBRA 240.1, KOBRA 260.1, KOBRA 260, KOBRA 300.
99.206	<b>Plastic bags.</b> Box of 100 pieces.	KOBRA 270 TS, KOBRA 310 TS, KOBRA 400 HS/HS-6 COMBI
99.203	<b>Plastic bags.</b> Box of 50 pieces.	KOBRA 310 TS HD KOBRA 410 TS (235 lt.) KOBRA 430 TS KOBRA AF.1 KOBRA AF.2 KOBRA 300.1 KOBRA 300.2 KOBRA 390 KOBRA 400 KOBRA 400 WB
99.208	<b>Plastic bags for CDs/DVDs.</b> Box of 100 pieces.	KOBRA 410 TS (470 lt.)
99.209	<b>Plastic bags.</b> Box of 20 pieces.	KOBRA 430 TS
51.071	<b>Fabric bag</b> for optical media shreds.	KOBRA 400 HS OM
51.072	<b>Fabric bag</b> for optical media shreds.	KOBRA 400 HS/HS-6 COMBI
99.202	<b>Plastic bags:</b> 100 pieces.	KOBRA 260 HS/2, KOBRA SSD
51.221	<b>Plastic bags:</b> 10 pieces.	KOBRA Cyclone
51.225/U	<b>Filter bags:</b> 10 pieces.	KOBRA SSD
51.703	<b>HEPA filter.</b>	KOBRA SSD
51.225	<b>Filter bags:</b> 10 pieces.	KOBRA Cyclone Vacuum System
51.230	<b>Plastic sleeve junction.</b>	KOBRA Cyclone with KOBRA Compactor C-500

# SECURITY LEVELS

## ISO/IEC 21964 (DIN 66399) & data carrier classification



Data in Original Size on: Paper, Printout, films, printing plates etc.		
<b>P-1</b> Stripe width max 12 mm	<b>P-3</b> Cross Cut < 320 mm <sup>2</sup>	<b>P-6</b> Cross Cut < 10 mm <sup>2</sup>
<b>P-2</b> Stripe width max 6 mm	<b>P-4</b> Cross Cut < 160 mm <sup>2</sup>	<b>P-7</b> Cross Cut < 5 mm <sup>2</sup>
	<b>P-5</b> Cross Cut < 30 mm <sup>2</sup>	



Data on Optical Carriers: CDs, DVDs etc.		
<b>O-1</b> Cross Cut < 2000 mm <sup>2</sup>	<b>O-3</b> Cross Cut < 160 mm <sup>2</sup>	<b>O-6</b> Cross Cut < 5 mm <sup>2</sup>
<b>O-2</b> Cross Cut < 800 mm <sup>2</sup>	<b>O-4</b> Cross Cut < 30 mm <sup>2</sup>	<b>O-7</b> Cross Cut < 0,2 mm <sup>2</sup>
	<b>O-5</b> Cross Cut < 10 mm <sup>2</sup>	



Data on Magnetic Carriers: Credit Cards, Floppy Disks, ID Cards, Magnetic Tape Cassettes, etc.		
<b>T-1</b> Mechanically inoperable	<b>T-3</b> Cross Cut < 320 mm <sup>2</sup>	<b>T-6</b> Cross Cut < 10 mm <sup>2</sup>
<b>T-2</b> Cross Cut < 2000 mm <sup>2</sup>	<b>T-4</b> Cross Cut < 160 mm <sup>2</sup>	<b>T-7</b> Cross Cut < 2,5 mm <sup>2</sup>
	<b>T-5</b> Cross Cut < 30 mm <sup>2</sup>	



Data on electronic data carriers: Memory Sticks, Chip cards, Semiconductor Hard Drives, mobile communication media, etc.		
<b>E-1</b> Mechanically/ Electronically inoperable	<b>E-3</b> Cross Cut < 160 mm <sup>2</sup>	<b>E-6</b> Cross Cut < 1 mm <sup>2</sup>
<b>E-2</b> Split	<b>E-4</b> Cross Cut < 30 mm <sup>2</sup>	<b>E-7</b> Cross Cut < 0,5 mm <sup>2</sup>
	<b>E-5</b> Cross Cut < 10 mm <sup>2</sup>	



Reduced size data on: micro-films and foils		
<b>F-1</b> Cross Cut < 160 mm <sup>2</sup>	<b>F-3</b> Cross Cut < 10 mm <sup>2</sup>	<b>F-6</b> Cross Cut < 0,5 mm <sup>2</sup>
<b>F-2</b> Cross Cut < 30 mm <sup>2</sup>	<b>F-4</b> Cross Cut < 2,5 mm <sup>2</sup>	<b>F-7</b> Cross Cut < 0,2 mm <sup>2</sup>
	<b>F-5</b> Cross Cut < 1 mm <sup>2</sup>	



Data on Hard Disks (with magnetic data carriers)		
<b>H-1</b> Mechanically/ Electronically inoperable	<b>H-3</b> Deformed	<b>H-6</b> Cross Cut < 10 mm <sup>2</sup>
<b>H-2</b> Damaged	<b>H-4</b> Cross Cut < 2000 mm <sup>2</sup>	<b>H-7</b> Cross Cut < 5 mm <sup>2</sup>
	<b>H-5</b> Cross Cut < 320 mm <sup>2</sup>	



**KOBRA products are built with the highest quality materials according to ISO 9001:2015 standards.**



*Technical data as of February 2025.  
Specifications in this publication may be subject  
to change without notice.*